



中国国家强制性产品认证证书

证书编号：2018010305057322

委托人名称、地址

上海杰莘实业有限公司
上海市闵行区中春路 4999 号 1565 室

生产者（制造商）名称、地址

Ravioli S.p.A
Via Passo Pordoi, 420139, Milano, Italy

生产企业名称、地址

Ravioli S.p.A
Via Passo Pordoi, 420139, Milano, Italy

产品名称和系列、规格、型号

控制按钮台

DLAP; Ui: 660V; Ith: 10A; AC-15: Ue/le:
AC24V/10A, AC48V/10A, AC120V/6A, AC240V/3A, AC400V/1.9A; DC-13: Ue/le:
DC24V/5A, DC48V/5A, DC125V/2.2A, DC250V/1.1A; IP65; 型号解释详见附件

产品标准和技术要求

GB/T14048.5-2008

上述产品符合强制性产品认证实施规则 CNCA-C03-02:2014 的要求，
特发此证。

发证日期：2018 年 03 月 29 日 有效期至：2023 年 03 月 29 日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任：



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2018010305057322

NAME AND ADDRESS OF THE APPLICANT

SHANGHAI JIEXIN INDUSTRIAL CO.LTD.

Room 1565 No. 4999 Zhongcun Road Minhang District Shanghai City

NAME AND ADDRESS OF THE MANUFACTURER

Ravioli S.p.A

Via Passo Pordoi,420139, Milano,Italy

NAME AND ADDRESS OF THE FACTORY

Ravioli S.p.A

Via Passo Pordoi,420139, Milano,Italy

PRODUCT NAME, MODEL AND SPECIFICATION

pendant station

DLAP; Ui: 660V; Ith: 10A; AC-15: Ue/le: AC24V/10A,AC48V/10A,AC120V/6A,AC240V/3A,AC400V/1.9A; DC-13: Ue/le: DC24V/5A,DC48V/5A,DC125V/2.2A,DC250V/1.1A; IP65

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T14048.5-2008

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C03-02:2014).

Valid from: Mar.29,2018

Valid until: Mar.29,2023

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

附 录

第 1 页 共 1 页

证书编号：2018010305057322

纸 号：1902613

型号解释：

DLAP	2	A	E	D	(S)	11
I	II	III	IV	V	VI	VII

I:基本型号

II:孔位

- 2-2 个孔位
- 3-3 个孔位
- 4-4 个孔位
- 6-6 个孔位
- 8-8 个孔位
- 10-10 个孔位
- 12-12 个孔位

III:配置类型

A-标准配置

IV: 急停蘑菇头按钮

E-含急停蘑菇头按钮（常闭）

不含急停蘑菇头按钮：

F0-含 1 组常开按钮

F1-含 1 组常闭按钮

V: 标准按钮类型

D-平头按钮（常开）

VI: 其他选配按钮类型

S-选择按钮（长手柄，两位或三位可选）

K-选择开关（带钥匙，两位或三位可选）

L-指示灯

VII: 触头形式

11: 具有 1 组常开触点+1 组常闭触点

10: 有 1 组常开触点

01: 有 1 组常闭触点

注：此附录与证书同时使用时有效。



主 任：



中国质量认证中心